

 PALM IntranetApplication  
Number 

## IDS Flag Clearance for Application 10780702



Content	Mailroom Date	Entry Number	IDS Review	Last Modified	Reviewer
M844	2005-01-10	18	Y <input checked="" type="checkbox"/>	2006-10-21 15:56:28.0	PDharia
M844	2004-09-08	13	Y <input checked="" type="checkbox"/>	2004-11-22 11:04:43.0	Imclauchlin
<input type="button" value="Update"/>					

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	0	display and and transciever and (position\$6 same encod\$6 and position\$6 same sens\$6 ) with light\$6 same guid\$6 and (light\$5 same source\$5) with (guid\$6 same plate\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:45
		input\$6 same device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 11:59
		input\$6 same device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 11:59
		input same device same optic\$6 and "345"/\$.ccls. and light\$6 same guid\$6 same layer\$6 and light\$6 same guide\$6 same plate\$6 and encode\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 17:01
S1	46	display and position\$6 adj encod\$6 adj sens\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/21 12:01
S2	2	display and position\$6 adj encod\$6 adj sens\$6 and light\$6 adj guid\$6 adj layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/19 16:51
S3	4	display and position\$6 adj encod\$6 adj sens\$6 and light\$6 adj guid\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/19 16:51
S4	2	display and position\$6 same encod\$6 same sens\$6 and light\$6 same guid\$6 same layer same encod\$6 same information\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/19 16:52
S5	42	display and position\$6 same encod\$6 same sens\$6 and light\$6 same guid\$6 same encod\$6 same information\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/19 16:52

## EAST Search History

S6	5	display and position\$6 same encod\$6 same sens\$6 and light\$6 same guid\$6 same encod\$6 same information\$6 and transceiver same detect\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/19 16:54
S7	2	display and position\$6 same encod\$6 same sens\$6 and light\$6 same guid\$6 same encod\$6 same information\$6 same output\$6 and transceiver same detect\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/21 13:44
S8	5	display and position\$6 same encod\$6 same sens\$6 and light\$6 same guid\$6 same encod\$6 same information\$6 and output\$6 and transceiver same detect\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/19 16:55
S9	2192	display and position\$6 adj encod\$6 and display same position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/22 13:53
S10	160	display and position\$6 adj encod\$6 and display\$6 adj position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/22 13:53
S11	8	display and position\$6 adj encod\$6 and display\$6 adj position and transceiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/22 13:57
S12	1	display and position\$6 adj encod\$6 and display\$6 adj position and transceiver and light\$6 same guid\$6 same plate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/22 13:58
S13	6	display and position\$6 adj encod\$6 and display\$6 same position and transceiver and light\$6 same guid\$6 same plate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/22 13:58
S14	2	"5,966,108".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/22 15:46
S15	1	"5,966,108".pn. and light\$6 adj guide\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/22 15:47

## EAST Search History

S16	1	"5,966,108".pn. and filter\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/22 16:29
S17	2	"20040140964"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 09:06
S18	1	"20040140964" and detect\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 09:14
S19	1	"20040140964" and detect\$6 same transceiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 09:14
S20	0	"20040140964" and detect\$6 same transceiver same light\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 09:14
S21	33054823	display same panel and position\$6 same encod\$6 and sens\$6 same device and light\$6 same guid\$6 same layer\$6 a	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 10:49
S22	2	"6,124849".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 10:52
S23	0	"6,124849".pn. and suspend\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 10:52
S24	1	"6,124849".pn. and (suspend\$6 or delay\$6 or holt\$6 or stop\$6 or interrupt\$6 or wait\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 10:54
S25	1	"6,124849".pn. and (suspend\$6 or delay\$6 or holt\$6 or stop\$6 or interrupt\$6 or wait\$6) same discharge\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 10:54

## EAST Search History

S26	18	display same panel and position\$6 same encod\$6 and sens\$6 same device and light\$6 same guid\$6 same layer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 11:12
S27	15	display same panel and position\$6 same (encod\$6 and sens\$6) and light\$6 same guid\$6 same layer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 11:24
S28	15	optical same input same device and position\$6 same (encod\$6 and sens\$6) and light\$6 same guid\$6 same layer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 11:58
S29	1052237	input same device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:00
S30	94198	input same device same optic\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:01
S31	16	input same device same optic\$6 and position\$6 same (encod\$6 and sens\$6) and light\$6 same guid\$6 same layer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:01
S32	4489	input same device same optic\$6 and "345"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:02
S33	1	input same device same optic\$6 and "345"/\$.ccls. and position\$6 same (encod\$6 and sens\$6) and light\$6 same guid\$6 same layer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:03
S34	47	input same device same optic\$6 and "345"/\$.ccls. and light\$6 same guid\$6 same layer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:03
S35	12	input same device same optic\$6 and "345"/\$.ccls. and light\$6 same guid\$6 same layer\$6 and light\$6 same guide\$6 same plate\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 17:01

## EAST Search History

S36	0	input same device same optic\$6 and "345"/\$.ccls. and light\$6 same guid\$6 same layer\$6 and light\$6 same guide\$6 same plate\$6 and encode\$6 same position\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:10
S37	1	(input\$6 same device and optic\$6) and "345"/\$.ccls. and light\$6 same guid\$6 same layer\$6 and light\$6 same guide\$6 same plate\$6 and encode\$6 same position\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:14
S38	20	input\$6 same device and light\$6 same guid\$6 same layer\$6 and light\$6 same guide\$6 same plate\$6 and encode\$6 same position\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:16
S39	0	display and postion\$6 adj encod\$6 adj sens\$6 adj device\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:21
S40	0	postion\$6 adj encod\$6 adj sens\$6 adj device\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:20
S41	4	display and position\$6 adj encod\$6 adj sens\$6 adj device\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 13:25
S42	2	display and position\$6 adj encod\$6 adj sens\$6 adj device\$1 and light\$6 same guid\$6 same layer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:23
S43	0	display and position\$6 adj encod\$6 and postion\$6 same sens\$6 adj device\$1 and light\$6 same guid\$6 same layer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:24
S44	2	display and position\$6 adj encod\$6 and position\$6 same sens\$6 adj device\$1 and light\$6 same guid\$6 same layer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:24
S45	59	display and position\$6 adj encod\$6 and position\$6 same sens\$6 adj device\$1 and light\$6 same guid\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:25

## EAST Search History

S46	56	display and position\$6 adj encod\$6 and position\$6 same sens\$6 adj device\$1 and light\$6 same guid\$6 and light\$5 same source\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:26
S47	2	display and position\$6 adj encod\$6 and position\$6 same sens\$6 adj device\$1 and light\$6 same guid\$6 and (light\$5 same source\$5) with (guid\$6 same plate\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:28
S48	1	display and (position\$6 adj encod\$6 and position\$6 same sens\$6 ) with light\$6 same guid\$6 and (light\$5 same source\$5) with (guid\$6 same plate\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:30
S49	3	display and (position\$6 same encod\$6 and position\$6 same sens\$6 ) with light\$6 same guid\$6 and (light\$5 same source\$5) with (guid\$6 same plate\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:31
S50	0	display\$6 and transciever and (position\$6 same encod\$6 and position\$6 same sens\$6 ) with light\$6 same guid\$6 and (light\$5 same source\$5) with (guid\$6 same plate\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:46
S51	1	display\$6 and transceiver and (position\$6 same encod\$6 and position\$6 same sens\$6 ) with light\$6 same guid\$6 and (light\$5 same source\$5) with (guid\$6 same plate\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:48
S52	3	display\$6 and transceiver and (position\$6 same encod\$6 and position\$6 same sens\$6 ) with light\$6 same guid\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:48
S53	44807	stylus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:49
S54	4910	stylus same optic\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:49
S55	36	stylus same optic\$6 with transceiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 13:09

## EAST Search History

S56	4	stylus same optic\$6 with transceiver and position\$6 same encode\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:51
S57	2054469	stylus same optic\$6 with transceiver and position\$6 same encode\$6 and light smae guide\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:52
S58	1	stylus with transceiver and position\$6 same encode\$6 and light same guide\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:52
S59	1	stylus with transceiver and (position\$6 and encode\$6 and sens\$6) and light same guide\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:53
S60	123	stylus with transceiver and (position\$6 and encode\$6 and sens\$6) and (light and guide\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:55
S61	43	stylus with transceiver and (position\$6 and encode\$6 and sens\$6) and (light and guide\$6 and source\$6 and plate\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:56
S62	43	stylus with transceiver and display\$6 and (position\$6 and encode\$6 and sens\$6) and (light and guide\$6 and source\$6 and plate\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:57
S63	1	stylus with transceiver and display\$6 and (position\$6 and encode\$6 and sens\$6) and (light and guide\$6 and source\$6 and plate\$6) and "345"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:57
S64	15	stylus same optic\$6 with transceiver and encode\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 13:10
S65	12	stylus same optic\$6 with transceiver and encode\$6 and sens\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 13:10



## EAST Search History

S66	12	stylus same optic\$6 with transceiver and encode\$6 and sens\$6 and position\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 13:11
S67	6911	display and light\$6 same guide\$6 same layer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 13:26
S68	7256	display\$6 and light\$6 same guide\$6 same layer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 13:29
S69	2554	display\$6 and (light\$6 same guide\$6 same layer\$6 and includ\$6 and light\$6 same guid\$6 same plate\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 13:37
S70	2	display\$6 and (light\$6 same guide\$6 same layer\$6 and includ\$6 and light\$6 same guid\$6 same plate\$6 same includ\$6 same encod\$6 same information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 13:32
S71	11	display\$6 and (light\$6 same guide\$6 same layer\$6 and includ\$6 and light\$6 same guid\$6 same plate\$6 and includ\$6 same encod\$6 same information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 13:32
S72	5	display\$6 and ( light\$6 same guid\$6 same plate\$6) with encod\$6 same information	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 13:41
S73	7	( light\$6 same guid\$6 same plate\$6) with encod\$6 same information	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 13:42